



## NAAC DVV CLARIFICATION

### 4.1.4 AVERAGE PERCENTAGE OF EXPENDITURE INCURRED, EXCLUDING SALARY, FOR INFRASTRUCTURE DEVELOPMENT AND AUGMENTATION DURING THE LAST FIVE YEARS

**Response: 56.93 %**

4.1.4.1 Expenditure incurred, excluding salary, for infrastructure development and augmentation year-wise during the last five years (INR in lakhs)

**HEI Input :**

HEI Input	2023-24	2022-23	2021-22	2020-21	2019-20
	9823.09	5112.48	2037.39	1464.56	1112.95

**DVV Recommended Input :**

HEI Input	2023-24	2022-23	2021-22	2020-21	2019-20
	8516.07	4958.83	1872.98	1423.67	1101.97

**HEI accepts the DVV recommended Input.**

S. No.	DVV Clarification	HEI Response
1	HEI to provide detailed breakup of heads with amount covered under infrastructure augmentation and include only expenditure on new Buildings, Lab equipment, Furniture	As per the DVV suggestion, HEI has provided the detailed breakup of heads with amount covered under infrastructure augmentation and include only expenditure on new Buildings, Lab equipment, Furniture



S. No.	DVV Clarification	HEI Response
	and Fixtures, New vehicles etc duly certified by head of HEI	and Fixtures, New vehicles etc duly certified by head of HEI and CFO
2	HEI to recheck the data for the metric 4.1.4	HEI has rechecked the data and accepts the DVV recommended input.

## LIST OF DOCUMENTS UPLOADED

S. No.	Particulars of Uploaded Documents	Link to the Relevant Document
	<b>Certificate of the Head of the Institution</b>	<a href="#">View</a>
1	Detailed breakup of heads	<a href="#">View</a>